



MAHAVITARAN

Maharashtra State Electricity Dist.Co.Ltd
(A Govt. of Maharashtra Undertaking)
CIN : U40109MH2005SGC153645
E-mail : cgmp@mahadiscom.in

HRD/RC/F.No.41/

Maharashtra State Electricity Distribution Co.Ltd.
Estrella Batteries Expansion Building,
Ground Floor, Plot No. 1, Dharavi Road
Matunga, **Mumbai – 400 019.**
Telephone No. : 022-24077441
Fax No. : 022-24025763
Website : www.mahadiscom.in

CORRECTION SLIP NO.63 DATE 03/09/2015

[To Classification & Recruitment Regulations, 2005]

Sub : Revising the pre-requisites for the post of Assistant
Vigilance Officer

Ref : Read Correction Slip No. 57 dated 25.07.2014

In exercise of the powers delegated to him vide Adm. Circular No. 1 dated 29.09.2005, the Managing Director in consultation with Director (Finance), Director (Projects) and Director (Operations) has accorded approval to revise the pre-requisites i.e. method of filling and qualification for the post of Assistant Vigilance Officer as under :-

Method of filling: 100% by way of direct recruitment

Qualification: Degree of any Govt. recognized University with at-least 60% aggregate marks OR Diploma with atleast 55% marks OR Degree in Electrical / Electronics/ Information Technology/ Computer/ Instrumentation/ Mechanical / Civil Engineering from Government Recognized University/ Institute OR Serving or Retired Non-commissioned Officer from any Defence service/ Assistant Sub-Inspector from Para Military Force/ State Police Force having total service of not less than eight years.

2. Accordingly, the revised method of filling and qualification under Schedule A-5 for the post appearing in the Classification & Recruitment Regulations, 2005 shall stand replaced to this Correction Slip.
3. This Correction Slip shall come into force with immediate effect.
4. This Correction Slip is available on Company's R-APDRP Portal.

(Sandesh Hake)

Chief General Manager (HR)