MAHARASHTRA STATE ELECTRICITY BOARD

Phone : 26474211,26472131 Tele : :011-78203 & 94 MSEB IN

Fax : 022-26476749

Gram: MUMBAIGRID, Mumbai



Plot No G-9, Prakashgad Aliyavar jang Marg Station rd Bandra(east) Mumbai 400-051

No. GAD.VII-B/BR478/R.Norms/ 10031

Date: 01 APRIL 2005

To The Chief Engineer (T&D) Zone M.S.Electricity Board

1200

Sub.:- Validation of manpower information by applying Revised Norms as per Board Resolution. 478 dt. 23.02.2005.

The Board has accorded approval to revise norms of consumers and norms of staff on T&D Side (except EHV (O&M), Testing, telecommunication, HVDC and EHVT Construction) vide B.R.No. 478 dated 23-02-2005 as indicated in Statement I & II enclosed herewith.

The Zonal Chief Engineers on T&D side are, therefore, requested to apply revised norms and carry out manpower exercise up to unit level and validate the information in the same proformas circulated vide earlier L.No. GAD/VII-A/8344 dated 12-03-2004. The validated manpower position, revised admissible posts/ staff for each office, excess/deficit in manpower along with consolidated position of your Zone should be forwarded to this office within one month from the issue of this letter.

While validating the manpower position as per Revised Staff Norms and Consumers Norms, it is requested to take care of the following instructions.

- The manpower exercise should be restricted to the establishments for which Staffing Pattern and Consumer Norms are prescribed.
- 2. It is to be ensured that where ever variable factor is/are applied for additional admissible post/s as per Note below Staff Norms /Consumer Norms, details of base/factor should be indicated, for e.g. one post each of A.E., D.A. & UDC (a/c) is admissible for every additional 250 H.T. Consumers. Here total no's of H.T. consumers is the base for applying variable factor.

C:\EO(VII)\Revised Norms BR478.doc

0/0

issue ofmp is post

- 3. The information of staff working in RS Division (of Urban Zones), Testing, and EHV-O&M etc. should not be incorporated as a stable shments is not yet finalized.
- 4. The information may be submitted in Microsoft Excel package along with compared that Copy in Spiral Bound file. No hand written, typed information will be accepted. In addition to hard copy a soft copy of information on a CD may also be furnished without fail.

It may please be ensured that the information is submitted to Head Office within one month, positively.

Encl.: Statement I & II

To

All as per mailing list up to level of Executive Engineer (T&D) in field Copy f.w.to:

- The Director of Personnel MSEB, H.O. Mumbai Copy to:
 - 1. Jt Director (S.C.C.) MSEB, H.O. Mumbai
 - 2. Jt Director (T/Estt.) MSEB, H.O. Mumbai

E.O. (VII)



CONSLIMER NORMS

CONSUMER NORMS	1
Offices	Norms accepted vide BR 478 dated 23-2-05
1.Section Office	
(a)Rural section	4000 consumers or 25 villages whichever is less
(b)(U)Sec.Office	6250 consumers
(c) (U) Sec.Office in Corporation area	11665 consumers
2) Sub-Division	
(a) Rural Sub-Dn.	 1. 18000 consumers 2. 75-85 villages/ 3. Sub-Dn shall have with 4 to 5 Sec.Office 4. No of DTC shall also be seen while creating S/dn
(b) Urban Sub-Dn	30000 consumers with 4 Sec.Office
(c) Urban Sub-Dn. In Corp. area	40000 consu. With 4 Sec.Office
3) Division Office	
Rural Division.	1 lac consumers with 4-6 S/Dns
Urban Division.	1.2 lac with 4-6 S/Dn
4) O&M Circle	 a) 2 to 4 lacs consumers b) 4 to 5 Dns. c) Each circle will have one or two district d) Attempt will be made to provide one circle to each District
5) Zone	4 O&M Circles

Note:

1. The bifurcation process for creating above new offices shall start after 50 % increase in consumer strength. However new offices shall commence only after consumers strength reaches with minimum no of consumer prescribed for each office even by r estructring

2. Special treatment/norms shall be provided for creating new offices having revenue dimensions

3. Any other deviation in above consumer norms shall be decided by the Board

MAT

Norms	for	T&D	ZONES
Catego	rv	0.00	

Sr.Mo	Category	Norms accer	ted vide BR	Sr.No	Category	Norms accep No.478 dated	23-2-05
		Departmental		1		Departmental	outsourcing
	UNIT HEAD			-	PUBLICITY		
	Chief Engineer (T&D)	1		1	I& P.R.O.	1	
1	Chief Engineer (Tab)	<u> </u>		2	LDC Cum Typist (Marathi)	1	
	PERSONAL STAFF			3	Peon	0	
1	Stenographer	1			ACCOUNTS		
2	Driver	1		1	Dy.C.A.O.	1	
		1		2	A.O.	1	
3	Peon ESTT. & GEN.SEC.	1		3	D.A.	1	
4	E.O.	1		4	A.A.	1	
1 2	Admn.Officer	1		5	UDC(A/c)	3	
3	E.S.	1		8	LDC(A/c)	1	
3	Sr.Clerk	1	E E	7	Peon		1
		2		-	Labour section		
5	UDC(GAD)	3		1	Dy.C.I.R.O.	1	100
5	LDC(GAD)		1	2	Assit.Sports Officer		
7	Steno-Typist	1		3	Sr.Clerk		
8	Daftary	-		6	Peon		1
9	Record Sorter		3		COMMAN POOL		
10	Peon			1 1	Typist		2
11	Watchman		-	+-	Total	31	9
	TECH.STAFF			_	1000		
1	Exe.Engineer (T&D)	2					
2	Asstt.Engineer (T&D)	. 2					en en
3	Jr.Engineer (T&D)	2					
	011 (0 11	1		1			

S Peon

C EDIVERNORMENTEC NORMS PRESENTATION-FINAL sheet short &D zon

A Chief Draftsman

5 Sr.Draftsman

MI

^{1.}Posts of LDC-Cum_Typist & Peon to be shared between Lift section & Publicity.

^{2.}Where zone office premises is located indepdently

¹ post of watchman shall be provided by outsourcing

Statement II .. Contd.

NO	CATEGORY	Norms ac B.R.No.478 da	cepted vide	SR	2. Category	Norms ac	cepted vide
	LINUT LIE AS .	Departmental	outsourcing	NC		B.R.No.478 da	
1	UNIT HEAD		valuearcing			Departmental	outs jurcing
-	Supdtg.Engr.(T&D)	1			ACCOUNTS		
	DEDCOMAL OF LET			1		1	
1	PERSONAL STAFF			2	D.A.	+ 1	
2	Stenographer Driver	1		3	UDC(A/c)	1 1	
3	Peon	1			LDC(A/c)	2	
J		1			AUDIT		
4	ESTT. & GEN.SEC.				Divnl.Auditor	1	
	Admn.Officer	1			Asstt.Auditor	1	
	E.S.	1			UDC(A/c)	1	
	Sr.Clerk	1			LDC(A/c)	2	
4	UDC(GAD)	1		40	H.T. BILLING	2	
5	LDC(GAD)	2					
6	LDC(Registry)	2			A.E.(T&D)	1	
7	Typist	1			A.A.	9	
8	Daftary				UDC(A/c)	1	
	Peon	3			D.A.	1	
0	Sweeper	3		CABLE JOINING GANG			
1-1	Watchman			1	Cable Jointer		
2	Tele.Oprtr.		1	2	Asstt.Cable Jointer		
	o.o.opru.		1		QUALITY CONTRO	/INSPECTION	LINIT
1	TECH.STAFF			1	A.E.(T&D)	1	OIII
1 8	Exe.Engr.(T&D)				J.E.(T&D)	1	
)	Exercise (16D)	1			Art'A'	0	-
3 8	Engr.(T&D)			4	Line Helper	2	
J	Assit.Engr.(T&D)	2			- Tionpor	25.	
10	r.Engr.(T&D)	2		1	FILTER UNIT FOR UR	DAN OIDOL E	
S	Sub-Engr.(T&D)			1	Jr-Eng.(T&D)	BAN CIRCLE	
L	DC(Tech.)		1	2	Art'B'	1	
S	r.Draftsman			_	Art.'C'	1	
J	r.Draftsman			3 10		1	
	racer			00	D.S.S		
B	lue Printer			110	Sub-Engineer(T&D)		3
N	ote:			- 6	Total	43	6

^{1.}For 250 H.T. Consumers or part thereof 1 AE ,1 DA and 1 UDC(A/c) is to be provided.

^{2.} Where Circle office premises is located indepndantly 1 post of watchman shall be provided by

statement (I) con

MORMS FOR TAD DIVISIONS

Sr.N	· Category	Norms accepted vide BR			
0.		No.478 date	d 23-2-05		
	•	Departmental	Outsourcing		
	UNIT HEAD/PERSONAL	STAFF			
4	Exe.Engineer (T&D)	1			
2	Steno-Typist	1	*		
3	Driver	1			
4	Peon	1			
	TECH.STAFF				
1	Dy.Exe.Engineer (T&D)	1			
2	Asstt.Engineer (T&D)	1			
3	Jr.Engineer (T&D)	2			
4	Sub-Engineer (T&D)	1			
5	Jr.Draftsman				
6	Tracer				
7	L.D.C(Tech)	1			
	ESTT. & GEN.				
1	E.S.	1			
2	H.C.	0			
3	UDC(GAD)	2			
A	LDC(GAD)	. 1	1		
5	Typist		2		
6	Daftary				
7	Peon		2		
8	Watchman		2		
9	Sweeper				
-	ACCOUNTS				
1	A.O.				
2	D.A.	2			
3	A.A.	2			
.4	UDC(A/c)	4			
5	LDC(A/c)	3			
6	LDC(B.C.)				
7	Art'C'(MR)/LDC(MR)				
8	Data Entry Oprtr.				

Sr.N	Category	Norms accepted vide BR No.478 dated 23-2-05			
	1800 N	Departmental	Outsourcing		
	METER TESTING &				
	INSPJRELAY UNIT				
1	Jr.Engineer (T&D)	1	V. Sala		
2	Sub-Engineer (T&D)		•		
3	Art.'A'(Elect.)	1			
4	Art.'B'	0			
5	M.T.Gr.II	1			
6	Helper	1			
	WORKSHOP UNIT				
1	Sub-Engineer (T&D)				
2	Art.'A'(Mech.)				
3	Art.'B'(Filter)				
4	∆rt.'B'(Welder)				
5	Art B'(Blacksmith)				
6	Helper				
F	ILTER -cum-store(For Rura	l Dn)			
1	Jr-Engineer (T&D)	1			
2	Sub-Engineer (T&D)				
3	Art'B'	2			
4	Art.'C'				
5	Art.'D'				
A	Helper	2			
5	Vyatchman		1		
	Total	34	8		

Note:

1. one L.D.C(GAD) for evry additional 150 employees

2.One additional Head clerk when sanctioned strength exceeds 600 employees

C.EO(VII)NOTEMHPC NORMS PRESENTATION-FINAL sheet short T&D Dwn

MAR

Statement (I) Contd

Norms for T&D Sub-Division

Sr.No.	Category	Norm	s accepted vid	d vide BR No.478 dated 23-2-05			
		Rural		Urban		Co	orporation
		Deptl	Outsourcing	Deptl	Outsourcing	Depti	Outsourcing
	UNIT HEAD/PERSONAL STAFF						
	UNIT HEAD/PERSONAL STAFF						
1	Dy.Exe.Engineer (T&D)			1		1	
2	Asstt.Encineer (T&D)	í					
3	Jr.Engineer (T&D)	1		1		1	
۵	Sub-Engineer (T&D)	1					
5	LDC(GAD)	0		0		0	
6	LDC cum Typist/C.O.	1		1		1	
7	Driver	1	1	1	1	4	1
8	Cleaner						
9	Peon		1		1		1
10	Watchman	1	1		1		1
11	UDC(GAL)						
12	A.L.M	1		1		1	
	ACCOUNTS						
1	A.A.						
2	UDC(A/c)	1	*:*		1		
3	LDC(M.S.A)	1		1		1	
	METER REMOVING &						
	FIXING/ROVING GANG						
1	Lineman					:	*
2	Asstt.Lineman						
3	Helper		4				
	BILLING & METER READING						
1	A.A.	5		4		1	
2	UDC(A/c)	- 5		1		2	
3	LDC(A/C)			2		1	
£,	LDC Cash Collection	. 4		1		1	
5	Art.'C'(MR)	ŝ,	2	3	2	3	2
	Quality control & Computer						
4	J.E(T&D)			1		1	-
	Total	15	5	15	5	15	5

Note:

- 1. One driver for every addl truck/utility vehicle and to be outsourced
- 2. One cleaner for every addi heavy vehicle and to be outsourced
- 3.Arc'C'(MR) for every addi 1500 consumers. The cost of outsourcing shall not exceed the average salary of ART'C'MR (Meter Reader having ITI qualification (electrical) should be preferred.)

C:EO(VII)/norms/HPC NORMS PRESENTATION-FINAL sheet short sub-divn

MAN

Statement (I) (oni

Sr. No.	Category		Norms accepted vide BR No.478 dated 23-2-05		
1	Ir Engineer (TOP)	R	U	Corp.	
2	Jr.Engineer (T&D) Sub-Engineer (T&D)	1	1	1	
3	Lineman	1			
	Asstt.Lineman	1	2	2	
	Line Helper	3	6	6	
	Tele.Attendant		9	9	
	Line Inspector				
	TOTAL	12	18	18	

Note: Maximum upto 50 % outsourcing for sections in Urban and corporation C:EO(VII)/norms/HPC NORMS PRESENTATION-FINAL sheet short T&D Sections



Norms for E-Type Sub-Station

Sr.No	Category	Norms accepted 2-05	l vide BR No.478 dt. 23
		Dept!	Oursourcing
1	Jr.Operator	4	
	Total	4	

Note:

- 1.To be outsourced completely for new sub-stations = 2. Where outsorcing is available the posts shall be filled-in by outsourcing only.

C:EO(VII)/norms/HPC NORMS PRESENTATION-FINAL sheet short e type