

NO. HR/CGM (HR-T/E)/MPR/005202

Date : 18 FEB 2013

To

The Chief Engineer, MSEDCL,  
Kolhapur Zone,  
(KOPZ) Kolhapur

Sub: Variation in sanctioned posts of Junior Engineer (Dist)  
& Sub Engineer (Dist) on various establishment, Unit etc Zone


- Ref: 1) Letter No. HR/CGM (HR-T/E)/MPR/34682 dtd 14-12-2012  
2) Letter No. HR/CGM (HR-T/E)/MPR/2868 dtd 29-01-2013  
3) Y. O. L. No. CE/KOPZ/HRD/725 dtd 05-05-2013

With reference to above, I am directed to inform you that, the issue to set right the sanctioned position of Junior Engineer (Dist) & Sub Engineer (Dist) involves large no's of administrative transfers besides carrying vacancies of Sub Engineer (Dist) at Section Offices. It is, therefore, informed that, Junior Engineers (Dist) and Sub Engineers (Dist) may jointly be taken as interchangeable wherever there are surplus Junior Engineers & deficit of Sub Engineers.

However, efforts should be taken to set right the position as per sanctioned strength of both categories viz, Junior Engineer (Dist) & Sub Engineer (Dist) in future.

These instructions are passed on in supersession of the instructions issued vide letters under reference No. 01 & 02 only where JE's are surplus.

This letter is being placed on intranet of MSEDCL and no hard copy will be sent to any office.

  
(P. M. Matey)  
Chief General Manager (HR-TE)

**Copy s.w.r.to:**

- 1) The Executive Director (HR), MSEDCL, Mumbai